

Termination

Johannes Waldmann
HTWK Leipzig, Germany

September 18, 2015

Termination

- ▶ abstract: a relation \rightarrow on A is *terminating* iff each \rightarrow -chain is finite
- ▶ which of these are terminating?
 - > on \mathbb{N} , $>$ on $\mathbb{Q}_{\geq 0}$, $\{(2x, 3x) \mid x \in \mathbb{N}_{>0}\}$, $\{(2x, x) \mid x \in \mathbb{N}_{>0}\} \cup \{(2x+1, 3x+2) \mid x \in \mathbb{N}_{>0}\}$
- ▶ concrete: \rightarrow is the small-step semantics of some program in some model of computation examples: state transition, \rightarrow_{β} , rewriting
- ▶ “ \rightarrow is terminating” is:
 - undecidable in general
 - important for applications

Termination of Imperative Programs

- ▶ example program:

```
while (x>0) { x-- ; y++ ; }
```
- ▶ computation state is \mathbb{N}^2 (slightly cheating)
- ▶ computation step is state transition $(x+1, y) \rightarrow (x, y+1)$ where $x \geq 0$
- ▶ terminates because 1st component decreases and is bounded from below (by 0)
- ▶ represent number x by term $S^x(Z)$ e.g., $0 = Z, 2 = S(S(Z))$
- ▶ represent program by *term rewriting system* $\{P(S(x), y) \rightarrow P(x, S(y))\}$.

Termination of Functional Programs

- ▶ example program (first order) *is term rewriting system*

```
m(x, y+1) = p(m(x, y), x); m(x, 0) = 0;  
p(x+1, y) = 1 + p(x, y); p(0, y) = y;
```
- ▶ computation state is *tree* (term) containing nested function calls e.g., $m(3, 2), p(3, p(3, m(3, 0)))$
- ▶ consider all possible computations (all evaluation strategies)

TRS that are Not Programs

in (TRS for) (FO) functional programs:

- ▶ clear separation of *function* and *data* symbols (in previous ex.: function: P, M , data: S, Z)
- ▶ each left-hand side (lhs) of a rule has exactly one function symbol (at the top)

in term rewriting:

- ▶ lhs can contain several “function” symbols
- ▶ this is motivated by transformation of programs (optimization), simplification of expressions, e.g., $x \wedge (y \vee z) \rightarrow (x \wedge y) \vee (x \wedge z)$,

Rewriting

- ▶ pattern replacement in context $C[l\sigma] \rightarrow C[r\sigma]$ for rule (l, r) for: graphs, DAGs, terms (trees), strings (paths)
- ▶ term rewriting is a language for both *computation* (apply rules to data) ...
- ▶ ... and *deduction* (apply rules to statements and their proofs)
- ▶ e.g., for proving/deriving types of programs

String Rewriting

- ▶ a *string* is a finite sequence of symbols
- ▶ equiv.: ... a term (tree) where all symbols are unary (all nodes have one child)
- ▶ string rewriting systems are actually well-known (rules of formal grammars of Chomsky type 0)
- ▶ rewrite system $R \subseteq \Sigma^* \times \Sigma^*$ defines rewrite relation \rightarrow_R as $\{(plq, prq) \mid p, q \in \Sigma^*, (l, r) \in R\}$
- ▶ example $R = \{(ab, ba)\}, aabb \rightarrow_R abab$.
- ▶ string rewriting is still hard (Turing complete)
- ▶ and illustrates a lot of term rewriting

Groups and String Rewriting

- ▶ represent groups by *relations* on *generators*
- ▶ e.g., the symmetry group of the rectangle: $\langle H, V \mid H^2 = V^2 = (HV)^2 = 1 \rangle$ (Klein's 4-group) (cf. Erlangen Program 1872)
- ▶ computations with group elements \Rightarrow computations on representations (= strings) e.g., $VH = H^2VH = H^2VHV^2 = H(HV)^2V = HV$
- ▶ orient equations, obtain *semi-Thue* system (= string rewriting system) (named after Axel Thue 1863–1922, student of Sophus Lie 1842–1899, successor of Felix Klein 1849–1925 at Leipzig)

Examples for SRS Termination

- ▶ $R_1 = \{ab \rightarrow a\}$ is terminating since $u \rightarrow_{R_1} v$ implies $|u|_b > |v|_b$.
- ▶ $R_2 = \{ab \rightarrow ba\}$ is terminating since number of inversions $l(u) = \#\{(p, q) \mid p < q, u_p = a, u_q = b\}$ decreases: $u \rightarrow_{R_2} v$ implies $l(u) = 1 + l(v)$.
- ▶ $R_3 = \{ab \rightarrow bba\}$
long computations: $ab^k \rightarrow b^{2k}a, a^k b \rightarrow b^{2k}a^k$
is terminating since ... (interpretation)
- ▶ $R_4 = \{ab \rightarrow b^2a^2\}$ is non-terminating

Termination Competitions

- ▶ since 2003, yearly, for programs with spec:
 - ▶ input: rewrite system R ,
out: YES (R terminates), NO, MAYBE/timeout
- extensions:
- ▶ variants of rewriting (strategies, modulo AC, ...)
 - ▶ programming languages (Haskell, Prolog, Java, C)
 - ▶ complexity (derivation lengths)
 - ▶ certification (of proofs of (non) termination)
- termcomp 2015:
- ▶ 10 participants, 10^4 problems, 10^7 sec (CPU)
 - ▶ 10 h (wall), <http://www.starexec.org/>

Well-founded Monotone Algebras

- ▶ Σ -algebra $[\cdot]$ with domain D
maps each letter $c \in \Sigma$ to a function $[c] : D \rightarrow D$
and the string $u_1 \dots u_n$ to $[u_1](\dots([u_n](0))\dots)$
- ▶ assume well-founded (terminating) order $>$ on D
- ▶ $[\cdot]$ is *monotone* if $\forall c \in \Sigma, x, y \in D : x > y \Rightarrow [c](x) > [c](y)$.
- ▶ $[\cdot]$ is *compatible with R* if $\forall (l, r) \in R, x \in D : [l](x) > [r](x)$.
- ▶ Thm (Manna and Ness): R terminating $\iff R$ admits compatible well-founded monotone alg.
- ▶ Ex: for $\{ab \rightarrow ba\}$: $[a](x) = 2x, [b](x) = x + 1$.
for $\{ab \rightarrow bba\}$, take ...

Totally Ordered Algebras

- ▶ for algebras over $(\mathbb{N}, >)$, always $[x] \geq x$.
Proof: trivially $[0] \geq 0$,
 $x + 1 > x \Rightarrow [x + 1] > [x] \geq x$.
- ▶ $\{aa \rightarrow aba\}$ is terminating,
(count occurrences of aa)
but does not admit compatible algebra over $(\mathbb{N}, >)$.

A Non-Totally Ordered Alg. of Vectors

- ▶ domain $D_k = \mathbb{N}^{k-1} \times \mathbb{N}_{>0}$, well-founded order $x > y \iff x_1 > y_1 \wedge x_2 \geq y_2 \wedge \dots \wedge x_k \geq y_k$
- ▶ interpret letter c by matrix $[c] \in \mathbb{N}^{k \times k}$
must map D_k into D_k , hence $[c]_{k,k} > 0$
must be monotone, hence $[c]_{1,1} > 0$.
compatible with (l, r) if $[l] \geq [r] \wedge [l]_{1,k} > [r]_{1,k}$
- ▶ $[a] = \begin{pmatrix} \boxed{1} & 1 & 0 \\ 0 & 0 & 1 \\ 0 & 0 & \boxed{1} \end{pmatrix}, [b] = \begin{pmatrix} \boxed{1} & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & \boxed{1} \end{pmatrix},$
 $[aa] = \begin{pmatrix} 1 & 1 & \boxed{1} \\ 0 & 0 & 1 \\ 0 & 0 & 1 \end{pmatrix}, [aba] = \begin{pmatrix} 1 & 1 & \boxed{0} \\ 0 & 0 & 1 \\ 0 & 0 & 1 \end{pmatrix},$

Linear Interpretations as Matrices

- ▶ had $[a](x) = 3x, [b](x) = x + 1$ for $\{ab \rightarrow bba\}$
- ▶ this can be written as $[a] = \begin{pmatrix} 3 & 0 \\ 0 & 1 \end{pmatrix}, [b] = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}$.
then $[ab] = \begin{pmatrix} 3 & 3 \\ 0 & 1 \end{pmatrix}, [bba] = \begin{pmatrix} 3 & 2 \\ 0 & 1 \end{pmatrix}$.
- ▶ for $\{ab \rightarrow baa\}$, there is no linear int. over $(\mathbb{N}, >)$
- ▶ but we can take $[a] = \begin{pmatrix} 1 & 0 \\ 0 & 3 \end{pmatrix}, [b] = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}$.
then $[ab] = \begin{pmatrix} 1 & 3 \\ 0 & 3 \end{pmatrix}, [bba] = \begin{pmatrix} 1 & 2 \\ 0 & 3 \end{pmatrix}$.

What a Difference an a Makes

decide termination of

- ▶ $R_1 = \{ba \rightarrow acb, bc \rightarrow abb\}$,
- ▶ $R_2 = \{ba \rightarrow acb, bc \rightarrow cbb\}$,
- ▶ $R_3 = \{ba \rightarrow aab, bc \rightarrow cbb\}$.

$\{ba \rightarrow aab, bc \rightarrow cbb\}$

- ▶ we have $b^k a \rightarrow^* a^{2k} b^k$ and $bc^k \rightarrow^* c^k b^{2k}$
- ▶ from $bc^k a$, doubly exponential derivation lengths
- ▶ \Rightarrow there is no compatible matrix interpretation
- ▶ $[a]_1 = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}, [b]_1 = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}, [c]_1 = \begin{pmatrix} 1 & 0 \\ 0 & 3 \end{pmatrix}$
 $[a]_2 = \begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}, [b]_2 = \begin{pmatrix} 3 & 0 \\ 0 & 1 \end{pmatrix}, [c]_2 = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix};$
if $u \rightarrow_{bc \rightarrow cbb} v$, then $[u]_1 > [v]_1$
if $u \rightarrow_{ba \rightarrow aab} v$, then $[u]_1 = [v]_1 \wedge [u]_2 > [v]_2$
- ▶ $[u] = ([u]_1, [u]_2)$ is lexicographically decreasing,
the lexicographic product of wf orders is wf.
- ▶ $[\cdot]_1$ "removes rule" $bc \rightarrow cbb$
(cf. Relative Termination, Alfons Geser 199?)

$\{ba \rightarrow acb, bc \rightarrow cbb\}$

- ▶ $b^k a \rightarrow^* a(cb)^k \rightarrow^* ac^k b^{2^k-1}$
- ▶ $b^2 a^k \rightarrow^* \dots$ multiply exponential
- ▶ admits no lexicographic matrix proof since each rule is applied more than exponentially often

prove termination by showing $\rightarrow \subseteq \succ_{a,c,b}$ where

- ▶ $u \succ_{x,y,\dots} v$ iff $u = u_0 x u_1 x \dots x u_m$,
 $v = v_0 x v_1 x \dots x v_n$ with $x \notin u_i, x \notin v_i$
and $[u_0, \dots, u_m] \succ [v_0, \dots, v_n]$
length-lexicographically w.r.t. $\succ_{y,\dots}$
- ▶ this is the lexicographic path order (Nachum Dershowitz, 198?) for precedence $a > c > b$.

$\{ba \rightarrow acb, bc \rightarrow abb\}$

- ▶ simple form of non-termination is *loop* $u \rightarrow^+ puq$
- ▶ loops can be found by *explicit enumeration*

we show here an *implicit* loop detector:

- ▶ observe $\forall x \in \{a, b, c\} : bx \rightarrow^* \phi(x)b$
where $\phi : a \mapsto ac, b \mapsto b, c \mapsto ab$.
- ▶ hence, $\forall k : b^k x \rightarrow^* \phi^k(x)b^k$
- ▶ find x and k such that $\phi^k(x)$ contains $b^k x$ as scattered subword \Rightarrow loop
- ▶ Parikh matrix of ϕ is $P = \begin{pmatrix} 1 & 0 & 1 \\ 0 & 1 & 0 \\ 1 & 1 & 0 \end{pmatrix}$, P has eigenvalue > 1 , entries in P^k grow exponentially, claim follows.

Where to Go From Here

Termination

- ▶ strings \rightarrow terms, terms \rightarrow programs
- ▶ matrices over \mathbb{N} \rightarrow matrices over exotic semirings: (max,plus), (min,plus), (min,max)
- ▶ constraint programming for finding matrices

Complexity

- ▶ each termination proof method bounds derivation lengths (e.g., matrices \Rightarrow exponential)
- ▶ special interest in polynomial bounds

there's much more to Rewriting: equational reasoning (completion), higher order, graphs,...